# mc Callum Sather





# CULTURAL HERITAGE IMPACT ASSESSMENT

Town of Niagara-on-the-Lake | Royal George Theatre


# APPENDIX C: ARCHIVAL DATA













# APPENDIX D: POLICIES & REGULATORY FRAMEWORK

#### A.1 Federal, Provincial, and Municipal Frameworks Heritage and Urban Policy Framework

This section outlines the applicable policy and regulatory context informing the proposed redevelopment of the Royal George Theatre site, located at 85 Queen Street within the Queen-Picton Heritage Conservation District, Niagara-on-the-Lake. The proposal has been evaluated in light of a comprehensive framework of federal, provincial, and municipal heritage planning documents and best practices, with particular reference to the Standards and Guidelines for the Conservation of Historic Places in Canada (2010), the Provincial Policy Statement (2020), the Ontario Heritage Act, and local municipal planning policies including the Queen-Picton Heritage Conservation District Plan (1986) and the Town of Niagara-on-the-Lake Official Plan.

#### A.1 Provincial Policy Statement (2020)

The Provincial Policy Statement (PPS), issued under Section 3 of the Planning Act, provides overarching direction for land use planning in Ontario. Section 2.6 of the PPS outlines clear expectations for the conservation of cultural heritage: "2.6.1: Significant built heritage resources and significant cultural heritage landscapes shall be conserved."

The PPS further defines built heritage resources as: "A building, structure, monument, installation or any manufactured remnant that contributes to a property's cultural heritage value or interest as identified by a community, including an Indigenous community."

And cultural heritage landscapes as:

"A defined geographical area that may have been modified by human activity and is identified as having cultural heritage value or interest by a community. The area may involve features such as structures, spaces, archaeological sites or natural elements that are valued together for their interrelationship, meaning or association."

#### Alignment:

The proposed redevelopment conserves the associative and contextual value of the Royal George Theatre while replacing a building that has lost much of its architectural integrity. The new design reinforces the historic role of the site as a cultural anchor and introduces a contemporary form that respects the character of the surrounding district. Stepbacks, materials, and massing have been developed in accordance with these conservation principles.

## A.2 Ontario Heritage Act (R.S.O. 1990)

The subject properties are designated under Part V of the Ontario Heritage Act, which governs Heritage Conservation Districts. This designation requires that any alteration or demolition within the district be evaluated in relation to the district's character-defining elements and be subject to the review and approval process outlined in Section 42 of the Act. Part V, Section 42(1):

"No owner of property situated in a heritage conservation district shall alter the property or permit the alteration of the property unless the owner obtains a permit from the municipality."

#### Alignment:

The demolition of the Royal George Theatre has been assessed within a values-based conservation framework that focuses

## mcCallumSather

on preserving the site's heritage significance through design, massing, and urban continuity. The proposal has been reviewed in terms of its fit within the overall district character and its contribution to the historic streetscape, consistent with the OHA's intent.

#### A.3 Standards and Guidelines for the Conservation of Historic Places in Canada (2010)

This national framework provides the guiding methodology for evaluating interventions at historic sites and encourages a tailored approach based on the cultural values of each place. The proposed project aligns with the treatment category of Rehabilitation, which supports adapting heritage places for contemporary uses while retaining heritage value.

#### Standard 11:

"Conserve the heritage value and character-defining elements when creating any new additions or related new construction. Make such new work physically and visually compatible with, subordinate to and distinguishable from the historic place." Standard 12:

"Create any new additions or related new construction so that the essential form and integrity of a historic place will not be impaired if the new work is removed in the future."

### Alignment:

The design approach is fully aligned with these standards, featuring a clearly contemporary architectural expression that is distinguishable from the original theatre while referencing its massing and orientation. It avoids mimicry while reinforcing the legibility of the theatre's function and cultural role within the landscape.

### A.4 Town of Niagara-on-the-Lake Official Plan

Under Section 18.3: Heritage Policies, the Town's Official Plan provides a framework for the assessment of development applications in or adjacent to designated heritage properties.

"The proposed building design and its effect on the historic character of abutting properties and the streetscape" must be considered

"New development shall reinforce the existing character and maintain the overall streetscape pattern."

The new building has been carefully designed to reflect the scale, rhythm, and materiality of surrounding structures while improving upon accessibility, sustainability, and urban connectivity. The building's orientation and façade design support the continuation of Queen Street's commercial vibrancy.

#### A.5 Queen-Picton Heritage Conservation District Plan (1986)

The Heritage Conservation District Plan identifies buildings designated as "B" resources, defined as structures of contextual value that contribute to the district's overall composition. Section 5A.3 outlines:

"It is encouraged that alterations [to 'B' buildings] be undertaken in a complementary manner to maintain the integrity of the streetscape in accordance with height, scale, proportion, rooflines, materials, and orientation."

The Plan also encourages new construction on vacant or cleared lots, provided it:

"embellishes the streetscape composition" and "does not reproduce past building styles, but is of good compatible design complementary to the height, proportion, scale, and character of the district."

### Alignment:

The proposal addresses these expectations directly. The new building will occupy the same site, maintain the theatre's commercial function, and introduce a reinterpretation of the historic form that strengthens the identity of the Queen-Picton corridor. The use of contemporary materials compatible in tone and scale ensures visual coherence without pastiche.

# mcCallumSather

# APPENDIX E: DRAWING SETS & SHADOW STUDY (2023 & 2025)



ELECTRICAL ENGINEER

LANDSCAPE ARCHITECT:

THEATRE CONSULTANTS

ACOUSTICS

**HERITAGE PRECONSULT** 

MECHANICAL ENGINEER

Quartek 89-91 St. Paul Street, St. Catharines, ON, K9J 2R8 P.905-984-8576 doctors@quartekgroup.com

Ounity

1 SITE PLAN - EXTENDED CONTEXT

AG-901 RGP: Scale: 1: 250

O Unity
Ling Design States Inc.
72 Visitation Street 6, Solds Br
All States Con 120 4791
Into Grand States Con 120 4791
Into

The second day recording to the control of the cont

All dimensions to be checked and verified or sile. Do not acaie drawings. Any discrepancies are to be reported to the Consulant. All traverses sension by property of the traverses sension by property of weings to be used for construction. CONSTRUCTION DOCUMENTATION PROJECT No. 22-469 START DATE JAN. 2023

NEW ROYAL GEORGE THEATRE

SITE PLAN EXTENDED CONTEX

1 SITE PLAN - EXISTING & REMOVALS
AS-102 REF: Scale: 1: 150



ARY I HERMAN MODELLY 23 N

TO BE REMOVED


The impairs of this more of automates and contract and co


All dimensions to be checked and verified on sits. Do not acais awings. Any discrepancies are to be reported to the Consultant. All usings sensain the property of the Construction. Only latest approved along to be used for construction. CONSTRUCTION DOCUMENTATION DOCUMENTATION DOCUMENTATION DOCUMENTATION 29-446.


SHAW FESTIVAL IEW ROYAL GEORGE THEATRE

& REMOVALS













BASEMENT - GFA

O Unity

Linky Design State Inc.

238 Grance Grane
Personage, Ort 1969 204

267 F 20 201
intiggraphysing visited ca

	136 Simon Pelerlaman		NEW HONAL GEORGE THEATRE																
	KSH 2HS										PROJECT	LOCATIO	161						
			AS Guerra I LOS LIO	II, Nieger	an b	Lake, CN													
TEM			21	12 ON	TARKO I	ULDIN	g cor			- 1	COC REPERENCE								
						PARTS:					mar since our or			MARK WITH					
91		escriptio			- 1	ev.	80		e PART	_	g PARTS   g PARTS								
۷.	PRODUCT	and the			15	annone		USE	@ POST	-	11230	_	9 .	-3041.0					
						LTERATOR			11.110		t t a pag								
02	MUOR OC	OPMENT							_	_	3125 (1)								
	Att										APPENDO	W.							
_													_						
03 04	BULDING	WZA jw'y	DOSTING		0 = 10	W 2,		TOTAL	2,188	35 er*	1413[8]								
94	GROSS FL	CONTAREA (	DOLLAR		0 m² (N)	w c		TOTAL	620	26.00	1413(4)								
os.	WEZZOWN	E(X)APEA je	O DOSTAG	0 m² 10	w	0 ar TOTAL		- 000		121.1 (2	Dev (II)								
	WEZZOWN		ME INCLUSED !	ALL (W)	_		0.00												
06	NAMERO		_	141200		-													
07	NUMBERO	PINGRAVE	ABOVE ON	20. 3	- III	LOW GRAD	0.1	10000000	ALCOHOLD VALVA	_	1412(4)	,32.00	-						
-	HOLDING:	erani jej			40.00	n, recorded	STATE OF	ST. P. P.	ALPRE MITTER	_	122.46.8		-						
08	BULDNO	P STREETS	TOTAL PROPERTY.	milely Chrone		-	122.41.2	111	-										
10	BOLLME	DETENT		may used	panel co	NTRE BUG				_			-						
-					123	DESCRIPTION	THE RES				****		1						
	ı					BUICTED					122.07		1						
	ı					NAMEDIENE					INDEX		1						
	ı					NUEW OF R	100F 8.K	792			INDEX		1						
	ı			■ IN LIEU OF ROOF RATING ■ NOT REQUIRED									1						
11		E SYSTEM P		# Y	_	128.													
		DE CHRART	CONTROL STATEMENT & STATEMENT STREET								1000		1						
12	PPE NAM		Burn Burn							$\neg$									
13	WATERIE	WYCESUPY	LY III ADEQUAT		T.						1247.								
14	жанғыс	DING		- P.Y	TA .		NO	ST ARRES	MERCHENNICS.	COMP	124.								
16	CONSTRU	TON PERT	ICTONS																
	ı	MEQUIPED.	8 coverus	BLE PERS	ATTED 6	NON-COM	BUSTEL		<b>0</b> BOTH				1						
									B BOTH										
16	WZMOO	ALTERNO DI			41		NO B												
	BANKER/FREDERON • WES • NO (CONTAN)										18.								
18													1						
	No.	OF ENTIRES	DES PRODUCTOR	LONGE	PRIDE 9						1812		1						
10	PO	AER DOOR I	PERATORS RE	(D. 10)	41		® NO			_	1411		-						
	REQUIRED RATINGS	PPE.	HORUSK	NA ARTESIS	CHEST	٠ ١ ،	W ATTER	D DESIGN	Ne (AC)		1241								
	<b>PATINGS</b>		HORIZONTAL ACCIDING SEPRE LICTUS SECONDA (ALC) PRESENTACE PATRICE OF ACCIDENCY DECORPTION (SEC)																
			FLOOR FLOOR																
			PAULE			50				_									
			ROOF:			- 100	TOUR			_									
			500.00	EDW/188	BATHOR	-	1.007		No. (ALC)	-									
			OF BUT	(F.K.K.)	EMBERG		MARKE	BLY DES	ONPTION (SEL2)										
				(P.K.K.)															
			PLOOR				FLOOR			$\neg$									
			ROOF ROOF MEZZANE MEZZANE							$\neg$									
						Mi													
20	REQUIRED SEPARATION FIRE RESIDANCE RATINGS		SPICE NAME			50	REQUIRED FATING												
										_									
			SUPES	_	_	$\pm$			_	コ			1						
			PUBLIC CORN	00%	_		_	_	_				1						
	1		JANTOK 100		_		_	_					1						
	1			ME	_	_	_	_	_	_1			1						
	1		VERTICAL IIII		CER		_	_		_			1						
	1		ELEVATOR I	od/William	_								1						
	1		ELEVATOR - S	NAME OF	A.W	-				$\rightarrow$			1						
	ı		EXTE-COME			-				-			1						
	ı		EXPE-CONS		OTHER ED	-	_	_		-			1						
21	EXTE MAX TRAVEL DETANCE 0 m									_			-						
	EXTER MAX TRAVEL DISTANCE OF THE STATE OF TH												-						
					RATIO	PERMITT MAX. % C	en les	POSED	BEQUEED.	Lien	123.4 IDDEEGN	NO.	-	NOW COM					
		EBF.	AREA OF U.P.O. (H <sup>2</sup> )	DETRICE (w)	LNOS	MACK NO.	OF MA		PAR OF VAL	1	ON	CONS	79	MON-COM CLADDRY REQU					
	PAGE				NA.				website	1 200	unnitik	ASO	~	*100					
22	ll .		144	Non		0%		00 %											
	NORTH			Non		0%		JF 08											
	ll .	0.Em²	2m²			0%		10 %											
	NORTH	444	2 m²	Non			30.7												
	NORTH			No.															
	NORTH	444	2 m²	No.		0%													
20	MORTH BAST BOUTH WEST	0000 m² 0 m²	2 m²	No.						_		_	_						
	MORTH EAST SOUTH WEST	5m'	2m' 0301 m' 3m'	No.	para	# 70-00CM	PANTLO	IZ CHIP	POR SPECY	ICE)	2.1.17.		_						
20	MORTH EAST SOUTH WEST	Ser'	2 m² 0 001 m² 1 m²	rin rin	/M/10 May 10 PK	# 70-00CM	· DEED	NOT BUT	POR SPECIF	iCI)	2.617.		Г						
20	MORTH EAST SOUTH WEST OCCUPAN OCCUP	Em' Em'	2 m/ 0 001 m/ 1 m/	No.	para spn.Pi	# 70-00CM	PERS	NOT BUT	POR SPECIF DRG	(CI)	2417.		Γ						
20	MORTH EAST SOUTH WEST OCCUPAN OCCUP	Em' Em'	2 m/ 0 001 m/ 1 m/	No.	pare spn.PE	# 70-00CM	PERS	NOT BUT	POR SPECIF DRG	ici)	2.637.		Γ						
20	BOSTN EAST BOUTH WEST OCCUPAN OCCUP BASE	COAD WAT LONG B	2 m² 0 000 m² 1 m² 1 m² NIED ON CUPMICY:	No.	pare squ.PE scho	# 70-00CM	PERS PERS 0	NOT BUT	POR DRECP DRES	ica)	1445.								
20	BOSTN EAST BOUTH WEST OCCUPAN OCCUP BASE	COAD WAT LONG B	2 m² 0 000 m² 1 m² 1 m² NIED ON CUPMICY:	No.	pan Pi	# 70-00CM	PERS	NOT BUT	POR EPROP DRG	(CI)	2417.								
20	BOSTN EAST BOUTH WEST OCCUPAN OCCUP BASE	SM S	2 m² 0 000 m² 1 m² 1 m² NIED ON CUPMICY:	No.	pare spn.PE scho	# 70-00CM	PERSONAL CONTRACTOR CO	NOT BUT	POR EPECP	ici)	2415.								
22	NORTH BAST SOUTH WEST OCCUPAN	5 m²  0 0 0 0 m²  1 LOAD  WAT LOAD 8  MEAT 1 100  LOB 1 100  LOB 1 100  LOB 1 100	2 m² 0.001 m² 1 m² NEED ON SUPMICY	i de	son PE	REDE TO	PORES PORE 0 0 0	NOF BUI	Dest										
20	NORTH BAST SOUTH WEST OCCUPAN	COAD WAT LONG B	2 m² 0.001 m² 1 m² NEED ON SUPMICY	i de	son PE	REDE TO	PORES PORE 0 0 0	NOF BUI	FOR EMECY										



G-001

O Unity
Unity Design States Inc.

Unity Design Studio In 13th Simoose Stree Persectionagh, CNI VSH 25 PERSECTION TO THE TOTAL TOTAL THE TOTAL T

ISSUE / REVISIONS
1 HERITAGE PRECONELLY 23 1006

We DER.

The remained of this remer due to the experimental mark the state of the remer due to the experimental mark the market of the findings of the subsequent of the subse

REVIEW NOT FOR DISTRIBUTION

All dimensions to be checked and verified on site. Do not scale travelings. Any discrepancies are to be reported to the Consultant, All travelings remain the property of the Consultant. Only latest approved swings to be used for construction.

START DATE APR 23

83 Queen Street, Nagra-on-the-Lake, I

BASEMENT FLOOR PLAN

A-100

441-48 1341 EM obst DocuMan Federal - Rips Compc3 3 HI J.A., PDI, SHAJ

1 BASEMENT FLOOR PLAN
A-100 REF.A-201 Scale: 1:100

4

1 02.1 - RS TECH. GALLERY 8-102.1 REF-8-201 Scale: 1:100


2

A-102.1

4

1 THIRD FLOOR PLAN
A-102 REF: A-201 Scale: 1:100

 $\bigcirc$  Unity



1 ROOF PLAN - OVERALL
A-190 REF: A-201 Scale: 1:100

ROOF PLAN OVERALL

0

0

(a)

1 WEST ELEVATION - VICTORIA ST.

A 201 REF: A 101 Scale: 1:100

O Unity
Unity Design Studio Inc.
138 Strace Street

705 743 2011 info@unilydecignetuda.ca

ISSUE / REVISIONS HERITAGE PRECONSELT 25 YOM

The insures of this most of the second control of the second contr

All dimensions to be checked and verified on site. Do not scale towards. Any discrepancies are to be reported to the Consultant. All travelage remain the property of the Consultant. Chill plaint approved wireign to be used for construction.

DESIGN DEVELOPMENT

PROJECT No. 22-460
START DATE APPL 23

ROOF MAIN 6

9

6


0

(a)

0

Shaw Festival IEW ROYAL GEORGE THEATRE

1 BUILDING SECTION A-A
A-901 REF: A-900 Scale: 1: 900



 $\bigcirc \, \text{Unity}$ 

Unity Design Studio Inc. 138 Simone Street Peterborough, CN Kliet 296 795 743 3311 info@unitydesignstudio ca

ISSUE / REVISIONS
1 HERITAGE PRECONSULT 23 10 06

ASTICLE
The innumer of this ware detailing in represent plan in the first and the same below the same below to a support of the control of th

PRELIMINARY REVIEW NOT FOR DISTRIBUTION

All dimensions to be checked and verified on site. Do not scale travelings. Any discrepancies are a be reported to the Consultant. All travelings remain the property of the Consultant. Only latest approved swings to be used for construction.

Shaw Festival

Queen Street, Nagra-on-the-Lake, I

BUILDING SECTIONS

 $\bigcirc$  Unity







ISSUED DATE:.

MAY.20.25

Shaw Festival

# **NEW ROYAL GEORGE THEATRE**

83 Queen Street, Niagra-on-the-Lake, ON

## MECHANICAL ENGINEER

Quartek 89-91 St. Paul Street, St. Catharines, ON, K9J 2R8 P.905-984-8676 doubters@quartekoroup.com


#### ELECTRICAL ENGINEER

#### LANDSCAPE ARCHITECT:


#### THEATRE CONSULTANTS

**ISSUED FOR RE-ZONING** 

Ounity











BASEMENT - GFA

O Unity

Litry Design Station Inc.

13.6 Serious State
Pentilinary, 7.6 2.3211
Inlighted plengters station on


81	PROJECT		_			_	NW SOURCE SPACE						a resta la resta				
*	PROME		-				ACC		or or	are.	11.17D 11.4		LLZIN		r	001.0	_
62	MUDRO	CUPMAC	Y(X)										2121 (f) APPENDIX	w-	Г		
E3	BULDING	MEX.IN	,	DOLTAG			NEW	1,886	12	101AL	CHE	0=1	1412(4)		L		
24	OPCOST FL	DOM WEL	a in	DOTTEG		24	NEW	4,745	17 m²	2024	4748.0	E m²	14.12(4)		_		
20	MEZZANON MEZZANON	E ID LOA	A (w/)	ENGLOSED /	PEA (=1)	0 =="	NEW		0 m²	TOTAL		1-	33.11.(0)	Stev (II)	Г		
06	MAZZAWA MANIER C		22	ARCVE GRA	MEX.(w)	_	BELOIS	ORION.	-			_	1412(4)	1111	Н		_
87	BULDING HEIGHT (m) \$126 **							AFTERNA A	202	COLUMN 214	NUMBER FOR FOR	-			-		_
D8												33219.6	334				
00	BULDING CLASSIFICATION Assembly Designing Only																
10	SPRINGER SYSTEM/PROPOSED							CTED COM	PARTI	mets at		32.18.					
								MINT CH					NOEX				
							O NOT	U OF MOO		via.		NOEX					
11	HOSE CARNET LOCATION 30.00							N HOSE II				33.6					
12	PPEALA		PEO			12				_			32.4 32.67	_	Н	_	_
13	NATES IN		PPLY														
	HOYBUL	DNG-			0	11		•	vo /	TENERS TENERS	NO ANSWERSON TO U	num.	324				
14	CONSTRUCTOR RESTRICTORS  REQUIRED © COMMUNICATION  PROVIDED © COMMUNICATION  HICKNOOLS SUBSTRUCES  WILL							N.COME.									
	NUMBER			L.		•	vo.		B 8014	$\neg$			-				
	DANKER				•				NO (E				3.8.				
18	EARNEST	100	70040	EL.													
	No.	OF ENTE	MACE OR OPE	CES REQUITORS BARRIER PRES.   DPERATORS REQUIT   WEST   B NO								1812.					
19	PEQUIPED FIRE PERSTANCE FATRICE			HORZONTAL ASSESSMENT PRE  RESISTANCE FORMULE (PRE)  (PRE)  COLUMN LYCEOPPTON (SE2)							2)	3241.		Г			
				FLOOR													
				ROOF ROOF								_					
			- 14		DETANCE	_											
				OF SUP	EVER	DR. ASSEMBLY OF SCHIPTION (SS.2)					2)						
				LOOK		R.COR											
				100F		NOOP.											
_			-	PACE NOR				MEZZA	NOVE-			_			_		
20	REQUIRED SEPHRATION			PACE NAME.				NEO.H	22.5	reco							
	PIPE RESETANCE PATRICE		þ	LUTER SUBLIC COMP.	=		F										
			- 15	NUTOR ROO	MI	_						$\overline{}$					
			- [3	SPECIAL RES	WE THE	_	_	$\vdash$	_	_							
				LEVISOR IN		200	_	+-	_	_	_	_					
	l			LEVITOR - N	2000		+	_			_						
			- 15		TONTEL	_		+		_		-					
			- 13	DOTE COMM	DOME												
							27003	=							ш		_
21	ENTE	_		MAGE TRAVEL DETROCE: 0m									3231.	_		_	_
22	RNA	APEA	FACI	AREA OF	LMTRC	1 20		PRINTING		ORED	PEQUIPED		SO DEBON	NOVICE	_	NON-CO	_
	PACE	100		UFG. (=1)	(=)	LH H	OR N	AX NOP PENNICE	OPE	NOF ENGS	FAR OF WALL	OEI	OR ICRIPTION	CONE	TN D	CLASS	D D
	1909/114	0.0+	,	14'	70 m			1%		170							
	BOUTH	4=		241	10 m	ш	-	15		1.0		Ľ		_	_	_	_
	WEST	2.002	~	3 11	70 m	-	-	13	20.22	1.0		$\vdash$		-	_		_
	witter		_	140	~=	_	_	**	N.E	ans &		_		_	_		_
23	OCCUPRINT LOAD. PREPRIE TO OCCUPRINT LOAD CHART FOR SPECIFICS)											CE)	24.07.		_		
	0000			ARRODO B NA			PERSO		SELECT SELECT	OF BUIL	.Devis	_					
	BAZZ		TBD	CUPMEN LO			~	-	******	-		-					
	More		180		_			_		-							
			180														
	LEVEL ID: THE					0											
	_		_	TOTAL OCCUPANT LOAD, SIE PEOPLE  VEL: PREPER TO EXCUPROOM AND HEALTH REQUIREMENTS CHAPT;						_			_				
24	NABARO OTHER			479	par							80	37.4		_		_
26	unit																



G-001

ISSUE / REVISIONS

1 IEEE/DPOINEZONNE MAY2038



The residence bit was not their discounting of the control of their control of the

drawings. Any discrepancies are to be proposed to the Consultant. All intravings sensits the properties for Minister property of the Consultant. Only finding approved wivings to be used for construction. CONSTRUCTION DOCUMENTATION PROJECT No. 22-140 START DATE JAN. 2023

THEATRE

Address,
Nagara on the Lette ON.

AS-100

1 SITE PLAN - EXTENDED CONTEXT

AG-100 ASF: Scale: 1: 250



SITE AREA

SITE AREA

OROSS FLOOR AREA

LOUIS AREA

ISSUE / REVISIONS

1 IEEEO FOR CHIPP APRILIDE
2 IEEEO FOR NEUZONIC MAY 2021

Discourse of the recognition of the control of the

All dimensions to be checked and verified on tall. Co not scale chawings. Any discrepancies are to be reported to the Consultant. All the reported to the Consultant. All Consultant. All Consultant. Only listed approved a


NEW ROYAL GEORGE THEATRE

Address.
Nagers on the Little ON.

1 SITE PLAN - EXISTING & REMOVALS
AS-102 REF: Scale: 1:100

O Unity
Unity Design State Inc.
22 Victorial State Of State St Solutions (CN VICE STATe ST

SITE PLAN - EXISTING & REMOVALS




Ounity

EXISTING - SHADOW STUDY - APRIL 21 & JUNE 21



Ounity


EXISTING - SHADOW STUDY - JULY 21 & AUGUST 21 AS-111





















O Unity

Linky Design Studio Inc.
72 Victoria Street 6, Sales 91
SECTRORY, CN 1005 177


NOTE
TIME DURATION

\*\*\*STANDARD OF THE STANDARD OF THE STANDAR

Section 2. Consideration of the transfer of the consideration of the con

All dimensions to be checked and verified on site. Do not scale downings. Any discrepancies are to be reported to the Consultant. All interesting senses for properly of the strengts senses for properly of the way of the senses are senses as the property of the way of the senses of

NEW ROYAL GEORGE THEATRE Address Niagars on the Lake On



O Unity
Liny Design Studio Inc.
72 Victoria Street S., Suita 82
700 F. 700 J. 700
700 F. 700 J. 701
Introducented reventable on

SES UNSET

AUGUST

1.0 SEE SUPPLIES

1.0 SEE SUP

The share of the second of the

All dissections to be chacked and consideration and considerations of the consideration of the consideration of the consideration of the consideration are to be reported to the Consultant All travelage remain the property of the Consultant All travelage remains the property of the construction.

COMMITTENITY OF THE CONSTRUCTION DOCUMENTATIONS
PROMICTS NO. 29-40-2
START DATE JAN. 2023


SHAW FESTIVAL

Magara on the Liste OM


































O Unity
Lasy Design States Inc.
138 States Control
Periodiculary, CN XVIII 1361
160 Grant States Inc.
160 Gran



O Unity
Ling Design Studio Inc.
134 Strong One Stell 2016
Pathological, One Stell 2016

NY CHART BROCK

Z. LUBART

BROCK

CLART BROCK

CLART BROCK

CLART BROCK

LA PANIEL

L. FAASINING

EN SYSEL

EN SYSEL

ISSUE / REVISIONS

1 HERITAGE PRECIDENT: APR 10.33
2 ISSUED FOR CHIPP: APR.2.23
3 ISSUED FOR REJOURNE MAY 20.38

She shawers of the result desired to a second country as a control to be a solid to the control country as a control to be a solid to the control country as a control country as the country of the to be a final country as the country of the count

dimensions to be checked and verified on als. Do not scale lengt, Any discrepancies are to reported to the Consultant, All ings certain the property of the consultant. All intelligence in the property of the consultant. Only labels approved age to be used for construction.

DESIGN DEVELOPMENT

Shaw Festival W ROYAL GEORGE THEATRE

BUILDING ELEVATIONS



 $\bigcirc$  Unity

Unity Design Studio In 138 Simose Stre Peterborough, ON NSH 21 705 743 22 integlunitydesign studio.

ISSUE / REVISIONS
1 HERITAGE PRECONDUCT APRILICAT
2 HERITAGE PRECONDUCT MAY 30.31

More incurred of the record for the combodity of the comb

All dimensions to be checked and verified on als. Do not scale travings. Any discepancies are to be reported to the Consultant. All ravings remain the property of the Consultant. Only latest approved

PROJECT No. 2 START DATE AL

NEW ROYAL GEORGE THEATRE

arconn arm, nagaroran am, o

BUILDING ELEVATION - COLOURE

