

Ontario Ministry of the Environment, Conservation and Parks
Record of Site Condition # B-403-8407889244



Record of Site Condition
Under Part XV.1 of the *Environmental Protection Act*

Summary

Record of site condition number	B-403-8407889244
Date filed to environmental site registry (YYYY/MM/DD)	2026/03/03
Certification date (YYYY/MM/DD)	2026/01/13
Current property use	Commercial
Intended property use	Residential
Certificate of property use number	No CPU
Applicable site condition standards	Full depth generic site conditions standard, Non-potable ground water, Coarse soil, for Residential property use
Property legal description	See attached lawyer's letter
Property municipal address(es)	116 FOUR MILE CREEK RD , NIAGARA-ON-THE- LAKE, ON, L0S 1J0

Notice to readers concerning due diligence

This record of site condition (RSC) has been filed in the Environmental Site Registry to which the public has access and which contains a notice advising users of the Environmental Site Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Environmental Site Registry.

Contents of this record of site condition

This RSC consists of this document which is available to be printed directly from the

Environmental Site Registry as well as all supporting documentation indicated in this RSC to have been submitted in electronic format to the Ministry of the Environment, Conservation and Parks.

Part 1: Property Ownership, Property Information and Owner's Certifications

Information about the owner who is submitting or authorizing the submission of the RSC

Owner name	PINEWOOD HOMES (TARA) LTD.
Ownership type	Firm, corporation or partnership
Authorized person	Tara Colaneri
Mailing address	2125 Fruitbelt PKYNiagara Falls Ontario
Postal Code	L2J 0A5
Phone	(905) 262-2222
Fax	
Email address	tara@pinewoodniagarabuilders.ca

Record of site condition property location information

Municipal address(es)	116 FOUR MILE CREEK RD , NIAGARA-ON-THE-LAKE, ON, L0S 1J0
Municipality	NIAGARA-ON-THE-LAKE
Legal description	See attached lawyer's letter
Assessment roll number	2627020025098250000
Property identifier number(s)	46373-0161 (LT)
Horizontal severance	

Record of site condition property geographical references

Coordinate system	UTM
Datum	NAD 83
Zone	Zone 17
Easting	654085
Northing	4779361

Record of site condition property use information

The following types of property uses are defined by the Regulation: Agricultural or other use, Commercial use, Community use, Industrial use, Institutional use, Parkland use, and Residential use.

Current property use	Commercial
Intended property use	Residential
Certificate of property use has been issued under section 168.6 of the <i>Environmental Protection Act</i>	No

As an owner:

☒	I acknowledge that the RSC will be submitted for filing in the Environmental Site Registry, that records of site condition that are filed in the Registry are available for examination by the public and that the Registry contains a notice advising users of the Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Registry.
☒	I have conducted reasonable inquiries to obtain all information relevant to this RSC, including information from the other current owners of the RSC property named in this part of the RSC and I have obtained all information relevant to this RSC of which I am aware.
☒	I have disclosed all information referred to in paragraph 2 to any qualified person named in this RSC.
☒	To my knowledge, the statements made in this part of the RSC are true as of 2026/01/20.
☒	I have ensured that access to the entire property, including the phase one property, any phase two property and the RSC property, has been afforded to the qualified person and to persons supervised by the qualified person, for purposes of conducting the site reconnaissance.

By checking the box above, I, Tara Colaneri am on 2026/01/20,

a.	signing this RSC as an owner;
b.	making all certifications required of the owner of the RSC property for this RSC; and
c.	confirming that I have the authority to bind, and hereby do bind PINEWOOD HOMES (TARA) LTD..
☒ I Agree	

Part 2: List of reports, summary of site conditions and qualified person's statements and certifications

Qualified person's information

Name	Irfan Khan
Type of licence under <i>Professional Engineers Act</i>	Licence
Licence number	100534176
Qualified person's employer name	Niagara Soils Solutions Ltd.
Mailing address	3300-4 Merrittville Hwy, Thorold, Ontario
Phone	(289) 241-2818
Fax	
Email address	ikhan@nssl.ca

Municipal information

Local or single-tier municipality	TOWN OF NIAGARA-ON-THE-LAKE
Upper-tier municipality	REGIONAL MUNICIPALITY OF NIAGARA

Ministry of the Environment Conservation and Parks District Office

District office	Niagara
District office address	9th floor, 301 St. Paul St., St. Catharines ON

Phase one environmental site assessment report

Document used as the phase one environmental site assessment report and updates in submitting the RSC for filing

The date the last work on all of the records review, interviews and site reconnaissance components of the phase one environmental site assessment was done (refer to clause 28(1)(a) of Ontario Regulation (O. Reg.) 153/04)	2026/01/05
--	------------

Type of Report	Report Title	Date of Report (yyyy/mm/dd)	Author of Report	Name of Consulting Company
Phase One environmental site assessment	Phase One Environmental Site Assessment: 116 Four Mile Creek Road, Niagara on the Lake, ON	2025/08/21	Philip Adene	Niagara Soils Solutions Ltd.
Update to Phase One environmental site assessment report	Phase One Environmental Site Assessment Update: 116 Four Mile Creek Road, Niagara on the Lake, ON	2026/01/13	Irfan Khan	Niagara Soils Solutions Ltd.

Reports and other documents related to the phase one environmental site assessment

Reports and other documents relied upon in certifying the information set out in section 10 of Schedule A or otherwise used in conducting the phase one environmental site assessment

Report Title	Date of Report (yyyy/mm/dd)	Author of Report	Name of Consulting Company
--------------	--------------------------------	------------------	----------------------------

Phase two environmental site assessment report

Document used as the phase two environmental site assessment report and updates in submitting the RSC for filing

The date the last work on all of the planning of the site investigation and conducting the site investigation components of the phase two environmental site assessment was done (refer to clause 33.5(1)(a) of O. Reg. 153/04)	2026/01/15
---	------------

Type of Report	Report Title	Date of Report (yyyy/mm/dd)	Author of Report	Name of Consulting Company
Phase Two environmental site assessment	Phase Two Environmental Site Assessment: 116 Four Mile Creek Road, Niagara on the Lake, ON	2025/10/21	Philip Adene	Niagara Soils Solutions Ltd.
Update to Phase Two environmental site assessment report	Phase Two Environmental Site Assessment Update: 116 Four Mile Creek Road, Niagara on the Lake, ON	2026/01/15	Irfan Khan	Niagara Soils Solutions Ltd.

Reports and other documents related to the phase two environmental site assessment

Reports and other documents relied upon in making any certifications in the RSC for the purposes of Part IV of Schedule A or otherwise used in conducting the phase two environmental site assessment

Report Title	Date of Report (yyyy/mm/dd)	Author of Report	Name of Consulting Company
--------------	-----------------------------	------------------	----------------------------

Environmental condition

Section 41 applies?	No
Section 43.1 applies?	No

Site condition information

Certification date (YYYY/MM/DD)	2026/01/13
Total area of RSC property (in hectares)	0.74
Number of any previously filed RSC that applies to any part of the RSC property	
Number of any previously filed transition notice that applies to any part of the RSC property	
Soil texture	Coarse
Assessment/restoration approach	Full Depth Generic
Is there soil present that is sufficient to investigate, sample and analyze soil on, in or under the property in accordance with s. 6, Schedule E of O. Reg. 153/04?	Yes
Was investigation, sampling and analysis of soil on, in or under the property already undertaken in such a way that it can be used as part of the phase two environmental site assessment?	Yes
Site investigation includes the investigation, sampling and analysis of ground water?	Yes
Name of the laboratory used to analyze any samples collected of soil, ground water or sediment	AGAT LABORATORIES LTD.
Ground water condition (potable, non-potable)	Non-Potable
Is the property, and all other properties located, in whole or in part, within 250 meters of the boundaries of the property, are supplied by a municipal drinking water system, as defined in the <i>Safe Drinking Water Act</i> , 2002?	Yes
Is the RSC property located in an area designated in a municipal official plan as a well-head protection area or other designation identified in a municipal official plan for the protection of ground water?	No
Has the municipality that has authority under the Municipal Act, 2001 to	

pass by-laws respecting water production, treatment and storage consented in writing to the application of the non-potable ground water site condition standards for the property?	
Has the municipality that has authority under the Municipal Act, 2001 to pass by-laws respecting water production, treatment and storage withdrawn its consent to the application of the non-potable ground water site condition standards for the property?	
Does the property or one of the properties in the phase one study area has a well used or intended for use as a source of water for human consumption or agriculture?	No
Has the municipality that has authority under the Municipal Act, 2001 to pass by-laws respecting water production, treatment and storage consented in writing to the application of the non-potable ground water site condition standards for the property and the consent has not been withdrawn?	
Has the municipality that has authority under the Municipal Act, 2001 to pass by-laws respecting water production, treatment and storage withdrawn its consent to the application of the non-potable ground water site condition standards for the property?	
Written non-potable notification date to the municipality	2025-10-17
Did you, the owner of the property, or person authorized by the owner of the property, receive a notice of objection?	No
Did you, the owner of the property, or a person authorized by the owner of the property, receive a notice of objection that was subsequently withdrawn?	
Applicable site condition standard	TABLE 3

Table 1 - Maximum contaminant concentrations compared to applicable site condition standards

Measured concentration for contaminants in soil

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
1	Acenaphthene	<	0.05	7.9	µg/g
2	Acenaphthylene	<	0.05	0.15	µg/g
3	Acetone	<	0.5	16	µg/g
4	Aldrin	<	0.005	0.05	µg/g
5	Anthracene	<	0.05	0.67	µg/g
6	Antimony	<	0.8	7.5	µg/g
7	Arsenic		15	18	µg/g
8	Barium		95.1	390	µg/g
9	Benz[a]anthracene	<	0.05	0.5	µg/g
10	Benzene	<	0.02	0.21	µg/g
11	Benzo[a]pyrene		0.28	0.3	µg/g
12	Benzo[b]fluoranthene		0.27	0.78	µg/g
13	Benzo[ghi]perylene		0.20	6.6	µg/g
14	Benzo[k]fluoranthene		0.38	0.78	µg/g
15	Beryllium	<	0.5	4	µg/g
16	Boron (Hot Water Soluble)*		0.45	1.5	µg/g
17	Boron (total)		9	120	µg/g
18	Bromomethane	<	0.05	0.05	µg/g
19	Cadmium	<	0.5	1.2	µg/g
20	Carbon Tetrachloride	<	0.05	0.05	µg/g
21	Chlordane	<	0.007	0.05	µg/g
22	Chlorobenzene	<	0.05	2.4	µg/g
23	Chromium Total		15	160	µg/g

24	Chromium VI	<	0.2	8	µg/g
25	Chrysene		0.51	7	µg/g
26	Cobalt		7.2	22	µg/g
27	Copper		24.6	140	µg/g
28	Cyanide (CN-)	<	0.040	0.051	µg/g
29	DDD	<	0.007	3.3	µg/g
30	DDE		0.23	0.26	µg/g
31	DDT	<	0.007	1.4	µg/g
32	Dibenz[a h]anthracene		0.10	0.1	µg/g
33	Dichlorobenzene, 1,2-	<	0.05	3.4	µg/g
34	Dichlorobenzene, 1,3-	<	0.05	4.8	µg/g
35	Dichlorobenzene, 1,4-	<	0.05	0.083	µg/g
36	Dichlorodifluoromethane	<	0.05	16	µg/g
37	Dichloroethane, 1,1-	<	0.02	3.5	µg/g
38	Dichloroethane, 1,2-	<	0.03	0.05	µg/g
39	Dichloroethylene, 1,1-	<	0.05	0.05	µg/g
40	Dichloroethylene, 1,2-cis-	<	0.02	3.4	µg/g
41	Dichloroethylene, 1,2-trans-	<	0.05	0.084	µg/g
42	Dichloropropane, 1,2-	<	0.03	0.05	µg/g
43	Dichloropropene, 1,3-	<	0.05	0.05	µg/g
44	Dieldrin	<	0.005	0.05	µg/g
45	Electrical Conductivity (mS/cm)		0.372	0.7	mS/cm
46	Endosulfan	<	0.005	0.04	µg/g
47	Endrin	<	0.005	0.04	µg/g
48	Ethylbenzene	<	0.05	2	µg/g
49	Ethylene dibromide	<	0.04	0.05	µg/g
50	Fluoranthene		0.08	0.69	µg/g
51	Fluorene	<	0.05	62	µg/g
52	Heptachlor	<	0.005	0.15	µg/g

53	Heptachlor Epoxide	<	0.005	0.05	µg/g
54	Hexachlorobenzene	<	0.005	0.52	µg/g
55	Hexachlorobutadiene	<	0.01	0.012	µg/g
56	Hexachlorocyclohexane Gamma-	<	0.005	0.056	µg/g
57	Hexachloroethane	<	0.005	0.089	µg/g
58	Hexane (n)	<	0.05	2.8	µg/g
59	Indeno[1 2 3-cd]pyrene		0.13	0.38	µg/g
60	Lead		63	120	µg/g
61	Mercury	<	0.10	0.27	µg/g
62	Methoxychlor	<	0.005	0.13	µg/g
63	Methyl Ethyl Ketone	<	0.5	16	µg/g
64	Methyl Isobutyl Ketone	<	0.5	1.7	µg/g
65	Methyl tert-Butyl Ether (MTBE)	<	0.05	0.75	µg/g
66	Methylene Chloride	<	0.05	0.1	µg/g
67	Methylnaphthalene, 2-(1-) ***	<	0.05	0.99	µg/g
68	Molybdenum		0.7	6.9	µg/g
69	Naphthalene	<	0.05	0.6	µg/g
70	Nickel		15	100	µg/g
71	Petroleum Hydrocarbons F1****	<	5	55	µg/g
72	Petroleum Hydrocarbons F2	<	10	98	µg/g
73	Petroleum Hydrocarbons F3	<	50	300	µg/g
74	Petroleum Hydrocarbons F4	<	50	2800	µg/g
75	Phenanthrene	<	0.05	6.2	µg/g
76	Pyrene		0.11	78	µg/g
77	Selenium	<	0.8	2.4	µg/g
78	Silver	<	0.5	20	µg/g
79	Sodium Adsorption Ratio		4.31	5	unitless
80	Styrene	<	0.05	0.7	µg/g
81	Tetrachloroethane, 1,1,1,2-	<	0.04	0.058	µg/g

82	Tetrachloroethane, 1,1,2,2-	<	0.05	0.05	µg/g
83	Tetrachloroethylene	<	0.05	0.28	µg/g
84	Thallium	<	0.5	1	µg/g
85	Toluene	<	0.05	2.3	µg/g
86	Trichloroethane, 1,1,1-	<	0.05	0.38	µg/g
87	Trichloroethane, 1,1,2-	<	0.04	0.05	µg/g
88	Trichloroethylene	<	0.03	0.061	µg/g
89	Trichlorofluoromethane	<	0.05	4	µg/g
90	Uranium		1.39	23	µg/g
91	Vanadium		24.6	86	µg/g
92	Vinyl Chloride	<	0.02	0.02	µg/g
93	Xylene Mixture	<	0.05	3.1	µg/g
94	Zinc		103	340	µg/g

Measured concentration for contaminants in Nonpotable Ground Water

Contaminant name		Maximum concentration	Applicable site condition	Unit of measure
1	Acenaphthene	0.2	600	µg/L
2	Acenaphthylene	0.2	1.8	µg/L
3	Acetone	1.0	130000	µg/L
4	Anthracene	0.1	2.4	µg/L
5	Antimony	1.0	20000	µg/L
6	Arsenic	4.1	1900	µg/L
7	Barium	81.7	29000	µg/L
8	Benz[a]anthracene	0.2	4.7	µg/L
9	Benzene	0.2	44	µg/L
10	Benzo[a]pyrene	0.01	0.81	µg/L
11	Benzo[b]fluoranthene	0.1	0.75	µg/L
12	Benzo[ghi]perylene	0.2	0.2	µg/L

13	Benzo[k]fluoranthene	0.1	0.4	µg/L
14	Beryllium	0.5	67	µg/L
15	Boron (total)	60.9	45000	µg/L
16	Bromomethane	0.2	5.6	µg/L
17	Cadmium	0.2	2.7	µg/L
18	Carbon Tetrachloride	0.2	0.79	µg/L
19	Chloride	42200	2300000	µg/L
20	Chlorobenzene	0.1	630	µg/L
21	Chromium Total	2.0	810	µg/L
22	Chromium VI	2.0	140	µg/L
23	Chrysene	0.1	1	µg/L
24	Cobalt	5.34	66	µg/L
25	Copper	1.5	87	µg/L
26	Cyanide (CN-)	2	66	µg/L
27	Dibenz[a h]anthracene	0.2	0.52	µg/L
28	Dichlorobenzene, 1,2-	0.1	4600	µg/L
29	Dichlorobenzene, 1,3-	0.1	9600	µg/L
30	Dichlorobenzene, 1,4-	0.1	8	µg/L
31	Dichlorodifluoromethane	0.4	4400	µg/L
32	Dichloroethane, 1,1-	0.3	320	µg/L
33	Dichloroethane, 1,2-	0.2	1.6	µg/L
34	Dichloroethylene, 1,1-	0.3	1.6	µg/L
35	Dichloroethylene, 1,2-cis-	0.2	1.6	µg/L
36	Dichloroethylene, 1,2-trans-	0.2	1.6	µg/L
37	Dichloropropane, 1,2-	0.2	16	µg/L
38	Dichloropropene, 1,3-	0.3	5.2	µg/L
39	Ethylbenzene	0.1	2300	µg/L
40	Ethylene dibromide	0.1	0.25	µg/L
41	Fluoranthene	0.2	130	µg/L

42	Fluorene	0.2	400	µg/L
43	Hexane (n)	0.2	51	µg/L
44	Indeno[1 2 3-cd]pyrene	0.2	0.2	µg/L
45	Lead	0.5	25	µg/L
46	Mercury	0.02	0.29	µg/L
47	Methyl Ethyl Ketone	1.0	470000	µg/L
48	Methyl Isobutyl Ketone	1.0	140000	µg/L
49	Methyl tert-Butyl Ether (MTBE)	0.2	190	µg/L
50	Methylene Chloride	0.3	610	µg/L
51	Methylnaphthalene, 2-(1-) ***	0.2	1800	µg/L
52	Molybdenum	4.69	9200	µg/L
53	Naphthalene	0.2	1400	µg/L
54	Nickel	5.9	490	µg/L
55	Petroleum Hydrocarbons F1****	25	750	µg/L
56	Petroleum Hydrocarbons F2	25	150	µg/L
57	Petroleum Hydrocarbons F3	100	500	µg/L
58	Petroleum Hydrocarbons F4	100	500	µg/L
59	Phenanthrene	0.1	580	µg/L
60	Pyrene	0.2	68	µg/L
61	Selenium	1.7	63	µg/L
62	Silver	0.2	1.5	µg/L
63	Styrene	0.1	1300	µg/L
64	Tetrachloroethane, 1,1,1,2-	0.1	3.3	µg/L
65	Tetrachloroethane, 1,1,2,2-	0.1	3.2	µg/L
66	Tetrachloroethylene	0.2	1.6	µg/L
67	Thallium	0.3	510	µg/L
68	Toluene	1.41	18000	µg/L
69	Trichloroethane, 1,1,1-	0.3	640	µg/L
70	Trichloroethane, 1,1,2-	0.2	4.7	µg/L

71	Trichloroethylene	0.2	1.6	µg/L
72	Trichlorofluoromethane	0.4	2500	µg/L
73	Uranium	1.39	420	µg/L
74	Vanadium	0.88	250	µg/L
75	Vinyl Chloride	0.17	0.5	µg/L
76	Xylene Mixture	0.2	4200	µg/L
77	Zinc	9.6	1100	µg/L

Remedial action and mitigation

Remediated soils

Estimated quantities of the soil, if any, originating at and remaining on the RSC property that have been remediated, at a location either on or off the property, to reduce the concentration of contaminants in the soil. Indicate the remediation process or processes used and the estimated amount of soil remediated by each identified process.

Soil remediation process	Estimated quantity of soil (in ground-volume in cubic metres)

Description of remediation

Description of any action taken to reduce the concentration of contaminants (including soil removals) on, in or under the <u>RSC</u> property.

Soil or sediment removed and not returned

Estimated quantities of soil or sediment, if any, removed from and not returned to the RSC property.

Estimated quantity of soil (in ground-volume in cubic metres)	
Estimated quantity of sediment (in ground-volume in cubic metres)	

Excess soil deposited at the property

Estimated quantity of excess soil, if any, being deposited at the RSC property, not including any soil that may have originated at but been remediated off the record of site condition property and that is identified in section 28 of Schedule A

Estimated quantity of soil brought to the property (in ground-volume in cubic metres)	
---	--

Ground water control or treatment measures

Ground water control or treatment measures that were required for the RSC property prior to the certification date for the purpose of submitting the RSC for filing.
--

Ground water control or treatment measures that are required for the RSC property after the certification date.

Estimated volume of ground water, if any, removed from and not returned to the RSC property.

Estimated volume of ground water (in litres)	
--	--

Other activities including risk management measures

Constructed works that prior to the certification date for the purpose of submitting the RSC for filing, were required to control or otherwise mitigate the release or movement of known existing contaminants at the RSC property.

Constructed works that after the certification date, are required to control or otherwise mitigate the release or movement of known existing contaminants at the RSC property.

Monitoring or Maintenance

Soil Management Measures

Soil monitoring requirements or any requirements for care, maintenance or replacement or any monitoring or control works for known existing contaminants, if any, on the RSC property, after the certification date.

Ground water management measures

Ground water monitoring requirements or requirements for care, maintenance or replacement of any monitoring or control works or known existing contaminants, if any, on the RSC property, after the certification date.

Remediated or removed soil, sediment or ground water from near property boundary

Has any soil, sediment or ground water at the RSC property that is or was located within 3 metres of the RSC property boundary been remediated or removed for the purpose of remediation?

No

Qualified person's statements and certifications

As the qualified person, I certify that:

☒	A phase one environmental site assessment of the <u>RSC</u> property, which includes the evaluation of the information gathered from a records review, site reconnaissance, interviews, a report and any updates as required, has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.
☒	A phase two environmental site assessment of the <u>RSC</u> property, which includes the evaluation of the information gathered from planning and conducting a site investigation, a report, and any updates required, has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.
☒	The information represents the site conditions at the sampling points at the time of sampling only and the conditions between and beyond the sampling points may vary.
☒	As of 2026/01/13, in my opinion, based on the phase one environmental site assessment and the phase two environmental site assessment, and any confirmatory sampling, there is no evidence of any contaminants in the soil, ground water or sediment on, in or under the <u>RSC</u> property that would interfere with the type of property use to which the <u>RSC</u> property will be put, as specified in the <u>RSC</u> .
☒	Ground water sampling has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation
☒	The <u>RSC</u> property and all other properties located, in whole or in part, within 250 metres of the boundary of the property supplied by a municipal drinking water system, as defined in the <i>Safe Drinking Water Act</i> , 2002.
☒	The <u>RSC</u> property is not located in an area mentioned in subparagraph i and I have or the owner of the property or a person authorized by the owner of the property has, within the year immediately before the submission of this record of site condition, given written notice of intention to apply non-potable ground water site condition standards to the clerk of the municipality mentioned in subsection 35 (3) of the regulation.
☒	The owner of the property has informed me that no notice of objection was received within 30 days after receiving the notice described in subparagraph 2 iii, nor have I received such a notice.
☒	As of 2026/01/13, in my opinion, based on the phase one and phase two environmental site assessments and any confirmatory sampling, the <u>RSC</u> property meets the applicable full depth generic site condition standards prescribed by section 37 of the regulation for all contaminants prescribed by the regulation in relation to the type of property use for which this <u>RSC</u> is filed, except for those contaminants (if any) specified in this <u>RSC</u> at Table 2, maximum contaminant concentrations compared to standards specified in a risk

	assessment.
☒	As of 2026/01/13, the maximum known concentration of each contaminant in soil, sediment and ground water at the RSC property for which sampling and analysis has been performed is specified in this RSC at Table 1, maximum contaminant concentrations compared to applicable site condition standards.
☒	I am a qualified person and have the qualifications required by section 5 of the regulation.
☒	I have in place an insurance policy that satisfies the requirements of section 7 of the regulation.
☒	I acknowledge that the RSC will be submitted for filing in the Environmental Site Registry, that records of site condition that are filed in the Registry are available for examination by the public and that the Registry contains a notice advising users of the Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Registry.
☒	The opinions expressed in this RSC are engineering or scientific opinions made in accordance with generally accepted principles and practices as recognized by members of the environmental engineering or science profession or discipline practicing at the same time and in the same or similar location.
☒	I do not hold and have not held and my employer, if any, does not hold and has not held a direct or indirect interest in the RSC property or any property which includes the RSC property and was the subject of a phase one or two environmental site assessment or risk assessment upon which this RSC is based.
☒	To the best of my knowledge, the certifications and statements in this part of the RSC are true as of 2026/01/13.
☒	By signing this RSC, I make no express or implied warranties or guarantees.

By checking the boxes above, and entering my membership/licence number in this submission, I, Irfan Khan, a qualified person under section 5 of O. Reg. 153/04 am, on ,

a.	signing this RSC submission as a qualified person; and
b.	making all certifications required as a qualified person for this RSC
☒ I Agree	

Additional documentation provided by property owner or agent

The following documents have been submitted to the Ministry of the Environment, Conservation and Parks as part of the RSC

A current plan of survey
Certificate of Status or equivalent for the owner
Copy of any deed(s), transfer(s) or other document(s) by which the record of site condition property was acquired
Lawyer's letter consisting of a legal description of the property
Phase Two conceptual site model
Table of Area(s) of potential environmental concern
Table of current and past uses of the Phase One property